



**SLOPED ROOFS REQUIRE HORIZONTAL LEG OF FLASHING TO BE INSTALLED OVER ROOFING MATERIAL AT BOTTOM, UNDERNEATH ROOFING MATERIAL ON TOP AND SIDES.

INNOVATIVE BUILDING PRODUCTS, INC. ASSUMES NO RESPONSIBILITY FOR THE DESIGN, CONSTRUCTION OR FABRICATION OF THE SUPPORTING STRUCTURE, DESIGN OF SUCH IS THE SOLE RESPONSIBILITY OF THE PROJECT ENGINEER/ARCHITECT. INNOVATIVE BUILDING PRODUCTS, INC. IS ONLY RESPONSIBLE FOR THE ENGINEERING AND STRUCTURAL INTEGRITY OF THE ALUMINUM GRID SYSTEM ITSELF.

THE SUPPORTING STRUCTURE MUST BE DESIGNED TO SUPPORT:

- DESIGN LIVE LOAD = 20 PSF
- DESIGN DEAD LOAD = 15 PSF (ACTUAL SELF WEIGHT INCLUDING GLASS BLOCK)
- ANY ADDITIONAL LOADS REQUIRED BY THE GOVERNING BUILDING CODES.

SKYLIGHT CURB DETAIL

SCALE: N.T.S.

Because IBP has no control over installation, workmanship, accessory materials, or conditions of application, no representation or warranty, expressed or implied, either as to MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE is made as to the performance or results of an installation of this product.



Innovative Building Products, Inc. • P.O. Box 425 Fort Worth, TX 76101
 Phone: (800) 932-2263 • Fax: (817) 332-1406
 Plant • 206 Dotson St. Denton, TX 76205

IBP Glass Block Grid System™
 is a trademark of Innovative Building Products, Inc. • Fort Worth, TX, USA
 U.S. Patent Numbers:
 4294649 • 4999964 • 5003744 • 5042210 • 5218806
 Australia: 634975 • 638988 Canada: 1328970 • 2015714
 Brazil: P18904269-7 Greece: 3010097 • 3017183 Ireland: 62,450 • 67,796
 European: 0396075 • 0356374 Mexico: 165468 • 172717
 New Zealand: 230417 • 233568 Other patents pending worldwide



2010